Journal of MOLECULAR BIOLOGY

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD
C. R. Cantor
P. Chambon
W. W. Franke
M. Gellert
G. A. Gilbert
M. Gottesman
R. Huber
H. E. Huxley
A. Klug
V. Luzzati
J. H. Miller
M. F. Moody
K. Simons

UNIVERSITY OF HAWI
LIBRARIES
JUN 2 6 19
LIBRARY US
ONLY

VOLUME 154

5 January to 5 February 1982

RIODICAL
H301
73
LIBRARY

ACADEMIC PRESS
London New York San Francisco

Copyright © 1981, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

CONTENTS OF VOLUME 154

NUMBER 1, 5 JANUARY 1982

BOUCHÉ, J. P., Physical Map of a 470×10^3 Base-pair Region Flanking the Terminus of DNA Replication in the *Escherichia coli* K12 Genome . 1

BOUCHÉ, J. P., GÉLUGNE, J. P., LOUARN, J., LOUARN, J. M. and KAISER, K., Relationships Between the Physical and Genetic Maps of a 470×10^3 Base-pair Region around the Terminus of *Escherichia coli* K12 DNA Replication 21

BURR, B., BURR, F. A., ST. JOHN, T. P., THOMAS, M. and DAVIS, R. W., Zein Storage Protein Gene Family of Maize. An Assessment of Heterogeneity with Cloned Messenger RNA Sequences 33

DARLING, S. M., CRAMPTON, J. M. and WILLIAMSON, R., Organization of a Family of Highly Repetitive Sequences Within the Human Genome . 51

FURTH, M. E., DOVE, W. F. and MEYER, B. J., Specificity Determinants for Bacteriophage λ DNA Replication. III. Activation of Replication in λri^c Mutants by Transcription Outside of *ori* 65

Appendix: MOORE, D. D. and BLATTNER, F. R., Sequence of $\lambda ri^c 5b$. 81

FUNNELL, B. E. and INMAN, R. B., Physical Evidence for Early Transcription in Intracellular Bacteriophage P2 DNA 85

MARIMAN, E. C. M., VAN EEKELEN, C. A. G., REINDERS, R. J., BERNS, A. J. M. and VAN VENROOIJ, W. J., Adenoviral Heterogeneous Nuclear RNA is Associated with the Host Nuclear Matrix During Splicing . . . 103

BRAVO, R., SMALL, J. V., FEY, S. J., LARSEN, P. M. and CELIS, J. E., Architecture and Polypeptide Composition of HeLa Cytoskeletons. Modification of Cytoarchitectural Polypeptides during Mitosis . . 121

THOMAS, D. D. and STRYER, L., Transverse Location of the Retinal Chromophore of Rhodopsin in Rod Outer Segment Disc Membranes . 145

WIEZOREK, C., Structural Analysis of Membranes by Means of a Nuclear Reaction 159

LETTERS TO THE EDITOR

SEDGWICK, B. and LINDAHL, T., A Common Mechanism for Repair of O^6-methylguanine and O^6-ethylguanine in DNA 169

SALUNKE, D. M., KHAN, M. I., SUROLIA, A. and VIJAYAN, M., Crystallization and Preliminary X-ray Studies of the Anti-T Lectin from Peanut (*Arachis hypogaea*) 177

McRee, D. E. and Richardson, D. C., Preliminary X-ray Diffraction Studies on the Hemoprotein Subunit of *Escherichia coli* Sulfite Reductase 179

Number 2, 15 January 1982

Yee, T. and Inouye, M., Two-dimensional DNA Electrophoresis Applied to the Study of DNA Methylation and the Analysis of Genome Size in *Myxococcus xanthus* 181

Appendix 194

Busby, S., Irani, M. and de Crombrugghe, B., Isolation of Mutant Promoters in the *Escherichia coli* Galactose Operon Using Local Mutagenesis on Cloned DNA Fragments. 197

Busby, S., Aiba, H. and de Crombrugghe, B., Mutations in the *Escherichia coli* Galactose Operon that Define Two Promoters and the Binding Site of the Cyclic AMP Receptor Protein. 211

Chandler, M., Clerget, M. and Galas, D. J., The Transposition Frequency of IS*1*-flanked Transposons is a Function of Their Size 229

Galas, D. J. and Chandler, M., Structure and Stability of Tn*9*-mediated Cointegrates. Evidence for Two Pathways of Transposition . . . 245

Appendix: Population Dynamics of Transposition and Cointegrate Formation 268

Runnels, J. M., Soltis, D., Hey, T. and Snyder, L., Genetic and Physiological Studies of the Role of the RNA Ligase of Bacteriophage T4 273

Emori, Y., Iba, H. and Okada, Y., Morphogenetic Pathway of Bacteriophage ϕ6. A Flow Analysis of Subviral and Viral Particles in Infected Cells . 287

Carrascosa, J. L., Viñuela, E., García, N. and Santisteban, A., Structure of the Head–Tail Connector of Bacteriophage ϕ29 311

Rice, C. M. and Strauss, J. H., Association of Sindbis Virion Glycoproteins and their Precursors 325

Schär, H.-P., Zuber, H. and Rossmann, M. G., Crystallization of Lactate Dehydrogenase from *Bacillus stearothermophilus* 349

Rice, C. M., Bell, J. R., Hunkapiller, M. W., Strauss, E. G. and Strauss, J. H., Isolation and Characterization of the Hydrophobic COOH-terminal Domains of the Sindbis Virion Glycoproteins 355

Letters to the Editor

McKenna, W. G., Brown, F. L., Musich, P. R. and Maio, J. J. Cleavage of Mammalian Repetitive Deoxyribonucleic Acids by a Mammalian Site-specific Endodeoxyribonuclease 379

LEHMAN, W., The Location and Periodicity of a Troponin-T-like Protein in the Myofibril of the Horseshoe Crab *Limulus polyphemus* . . 385

TRIMAN, K. L., CHATTORAJ, D. K. and SMITH, G. R., Identity of a Chi site of *Escherichia coli* and Chi Recombinational Hotspots of Bacteriophage λ 393

NUMBER 3, 25 JANUARY 1982

KROLEWSKI, J. J., BERTELSEN, A. H., HUMAYUN, M. Z. and RUSH, M. G., Members of the *Alu* Family of Interspersed, Repetitive DNA Sequences are in the Small Circular DNA Population of Monkey Cells Grown in Culture 399

VÖLKER, T. A., IIDA, S. and BICKLE, T. A., A Single Gene Coding for Resistance to both Fusidic Acid and Chloramphenicol 417

SUSSKIND, M. M. and YOUDERIAN, P., Transcription *in vitro* of the Bacteriophage P22 Antirepressor Gene 427

YOUDERIAN, P., CHADWICK, S. J. and SUSSKIND, M. M., Autogenous Regulation by the Bacteriophage P22 *arc* Gene Product 449

PRAGAI, B. and APIRION, D., Processing of Bacteriophage T4 Transfer RNAs. Structural Analysis and *In vitro* Processing of Precursors that Accumulate in RNase E^- Strains 465

SCHEELE, R. B., BERGEN, L. G. and BORISY, G. G., Control of the Structural Fidelity of Microtubules by Initiation Sites 485

HENDERSON, R., JUBB, J. S. and ROSSMANN, M. G., A Contracted Form of the Trigonal Purple Membrane of *Halobacterium halobium* 501

PRUNELL, A. and KORNBERG, R. D., Variable Center to Center Distance of Nucleosomes in Chromatin 515

GRÜTTER, M. G. and MATTHEWS, B. W., Amino Acid Substitutions Far From the Active Site of Bacteriophage T4 Lysozyme Reduce Catalytic Activity and Suggest that the C-terminal Lobe of the Enzyme Participates in Substrate Binding 525

LETTERS TO THE EDITOR

GORSKI, J., FIORI, M. and MACH, B., A New Nonsense Mutation as the Molecular Basis for β° Thalassaemia 537

GOELET, P. and KARN, J., Tobacco Mosaic Virus Induces the Synthesis of a Family of 3′ Coterminal Messenger RNAs and their Complements 541

NUMBER 4, 5 FEBRUARY 1982

JACKSON, E. N., LASKI, F. and ANDRES, C., Bacteriophage P22 Mutants that Alter the Specificity of DNA Packaging. 551

LASKI, F. and JACKSON, E. N., Maturation Cleavage of Bacteriophage P22 DNA in the Absence of DNA Packaging 565

HUNG, M.-C., BARNETT, T. WOOLFORD, C. and WENNSINK, P. C., Transcript Maps of *Drosophila* Yolk Protein Genes 581

DESSEN, P., FAYAT, G., ZACCAI, G. and BLANQUET, S., Neutron-scattering Studies of the Binding of Initiator $tRNA^{Met}$ to *Escherichia coli* Trypsin-modified Methionyl-tRNA Synthetase 603

BRZEZIŃSKI, R. and PIEKAROWICZ, A., Steps in the Reaction Mechanism of the *Haemophilus influenzae* Rf Restriction Endonuclease 615

BIEBRICHER, C. K., DIEKMANN, S. and LUCE, R., Structural Analysis of Self-replicating RNA Synthesized by Qβ Replicase 629

LETTER TO THE EDITOR

STONER, C. M. and SCHLEIF, R., Is the Amino Acid but Not the Nucleotide Sequence of the *Escherichia coli araC* Gene Conserved? 649

Index to Volume 154

Adenoviral heterogeneous nuclear RNA is associated with the host nuclear matrix during splicing, 103
AIBA, H. (see also BUSBY, S.), 211
Alu interspersed repetitive DNA sequences are in the small circular DNA population of monkey cells grown in culture, 399
Amino acid sequence, is it conserved while the nucleotide sequence of the *Escherichia coli araC* gene is not conserved?, 649
— — substitutions far from the active site of bacteriophage T4 lysozyme reduce catalytic activity and suggest that the C-terminal lobe of the enzyme participates in substrate binding, 525
ANDRES, C. (see also JACKSON, E. N.), 551
Antirepressor gene, P22, transcription *in vitro*, 427
APIRION, D. (see also PRAGAI, B.), 465
araC gene of *Escherichia coli*, is the amino acid but not the nucleotide sequence conserved?, 649
Arachis hypogaea, crystallization and preliminary X-ray studies of the anti-T lectin, 177
arc gene product, bacteriophage P22: autogenous regulation, 449
Architecture and polypeptide composition of HeLa cytoskeletons; modification of cytoarchitectural polypeptides during mitosis, 121
Association of Sindbis virion glycoproteins and their precursors, 325

Bacillus stearothermophilus, crystallization of lactate dehydrogenase, 349
Bacteriophage λ Chi recombinational hotspots identical to a Chi site of *Escherichia coli*, 393
— λ, specificity determinants for DNA replication; activation of replication in λri^c mutants by transcription outside of *ori*, 65
— P2 DNA, intracellular, physical evidence for early transcription, 85
— P22 antirepressor gene, transcription *in vitro*, 427
— —, autogenous regulation by the *arc* gene product, 449
— —, DNA, maturation cleavage in the absence of DNA packaging, 565
— —, mutants that alter the specificity of DNA packaging, 551
— φ6 morphogenetic pathway; a flow analysis of subviral and viral particles in infected cells, 287
— φ29, structure of the head-tail connector, 311
— T4, genetic and physiological studies of the role of the RNA ligase, 273
— — lysozyme, amino acid substitutions far from the active site reduce catalytic activity and suggest that the C-terminal lobe of the enzyme participates in substrate binding, 525
— —, processing of transfer RNAs. Structural analysis and *in vitro* processing of precursors that accumulate in RNase E^- strains, 465
BARNETT, T. (see also HUNG, M.-C.), 581
BELL, J. R. (see also RICE, C. M.), 355
BERGEN, L. G. (see also SCHEELE, R. B.), 485
BERNS, A. J. M. (see also MARIMAN, E. C. M.), 103
BERTELSEN, A. H. (see also KROLEWSKI, J. J.), 399
β^0 thalassaemia, a new nonsense mutation as its molecular basis, 537
BICKLE, T. A. (see also VÖLKER, T. A.), 417
BIEBRICHER, C. K., DIEKMANN, S. & LUCE, R., Structural analysis of self-replicating RNA synthesized by Qβ replicase, 629
Binding of initiator $tRNA^{Met}$ to *Escherichia coli* trypsin-modified methionyl-tRNA synthetase; neutron-scattering studies, 603
— site of cyclic AMP receptor protein is defined by mutations in the *Escherichia coli* operon, 211
BLANQUET, S. (see also DESSEN, P.), 603
BLATTNER, F. R. (see also MOORE, D. D.), 81
BORISY, G. G. (see also SCHEELE, R. B.), 485
BOUCHÉ, J. P., Physical map of a 470×10^3 base-pair region flanking the terminus of DNA replication in the *Escherichia coli* K12 genome, 1
—, —, GÉLUGNE, J. P., LOUARN, J., LOUARN, J. M. & KAISER, K., Relationships between the physical and genetic maps of a 470×10^3 base-pair region around the terminus of *Escherichia coli* K12 DNA replication, 21

Bravo, R., Small, J. V., Fey, S. J., Larsen, P. M. & Celis, J. E., Architecture and polypeptide composition of HeLa cytoskeletons. Modification of cytoarchitectural polypeptides during mitosis, 121
Brzeziński, R. & Piekarowicz, A., Steps in the reaction mechanism of the *Haemophilus influenzae* Rf restriction endonuclease, 615
Brown, F. L. (see also McKenna, W. G.), 379
Burr, B., Burr, F. A., St. John, T. P., Thomas, M. & Davis, R. W., Zein storage protein gene family of maize. An assessment of heterogeneity with cloned messenger RNA sequences, 33
—, F. A. (see also Burr, B.), 33
Busby, S., Aiba, H. & De Crombrugghe, B., Mutations in the *Escherichia coli* galactose operon that define two promoters and the binding site of the cyclic AMP receptor protein, 211
—, —, Irani, M. & De Crombrugghe, B., Isolation of mutant promoters in the *Escherichia coli* galactose operon using local mutagenesis on cloned DNA fragments, 197

Carrascosa, J. L., Viñuela, E., García, N. & Santisteban, A., Structure of the head–tail connector of bacteriophage $\phi 29$, 311
Catalytic activity is reduced by amino acid substitutions far from the active site of bacteriophage T4 lysozyme, 525
Celis, J. E. (see also Bravo, R.), 121
Chadwick, S. J. (see also Youderian, P.), 449
Chandler, M. (see also Galas, D. J.), 245
—, —, Clerget, M. & Galas, D. J., The transposition frequency of IS*1*-flanked transposons is a function of their size, 229
Chattoraj, D. K. (see also Triman, K. L.), 393
Chi site of *Escherichia coli*, identical to Chi recombinational hotspots of bacteriophage λ, 393
Chloramphenicol and fusidic acid resistance, both coded by the same gene, 417
Chromatin nucleosomes have variable center to center distance, 515
Circular DNA population of monkey cells grown in culture contains members of the *Alu* family of interspersed repetitive DNA sequences, 399
Cleavage of mammalian repetitive deoxyribonucleic acids by a mammalian site-specific endodeoxyribonuclease, 379
—, maturation, of bacteriophage P22 DNA in the absence of DNA packaging, 565
Clerget, M. (see also Chandler, M.), 229
Cloned DNA fragments, use in local mutagenesis for isolation of mutant promoters in the *Escherichia coli* galactose operon, 197
— mRNA sequences, and an assessment of the heterogeneity of the zein gene family of maize, 33
Cointegrate formation and transposition, population dynamics, 268
Cointegrates, Tn*9*-mediated, structure and stability; evidence for two pathways of transposition, 245
COOH-terminal domains of the Sindbis virion glycoproteins, isolation and characterization, 355
Crampton, J. M. (see also Darling, S. M.), 51
Crystallization of lactate dehydrogenase from *Bacillus stearothermophilus*, 349
— and preliminary X-ray studies of the anti-T lectin from peanut (*Arachis hypogaea*), 177
Cyclic AMP receptor protein binding site is defined by mutations in the *Escherichia coli* operon, 211
Cytoskeletons, HeLa, architecture and polypeptide composition; modification of cytoarchitectural polypeptides during mitosis, 121

Darling, S. M., Crampton, J. M. & Williamson, R., Organization of a family of highly repetitive sequences within the human genome, 51
Davis, R. W. (see also Burr, B.), 33
De Crombrugghe, B. (see also Busby, S.), 197, 211
DNA, a common mechanism for repair of O^6-methylguanine and O^6-ethylguanine, 169
—, bacteriophage P2, intracellular, physical evidence for early transcription, 85
—, — P22, maturation cleavage in the absence of DNA packaging, 565
— electrophoresis, two-dimensional, applied to the study of DNA methylation and the analysis of genome size in *Myxococcus xanthus*, 181
— fragments, cloned, use in local mutagenesis for isolation of mutant promoters in the *Escherichia coli* galactose operon, 197
— packaging specificity is altered by bacteriophage P22 mutants, 551
— replication in the *Escherichia coli* K12 genome, physical map of a 470×10^3 base-pair region flanking the terminus, 1

— replication in the *Escherichia coli* K12 genome, relationships between the physical and genetic maps of a 470×10^3 base-pair region around the terminus, 21
— —, specificity determinants for bacteriophage λ; activation of replication in λri^c mutants by transcription outside of *ori*, 65
— sequences, repetitive, interspersed, members of the *Alu* family are in the small circular DNA population of monkey cells grown in culture, 399
DNAs, repetitive, mammalian, cleavage by a mammalian site-specific endodeoxyribonuclease, 379
DESSEN, P., FAYAT, G., ZACCAI, G. & BLANQUET, S., Neutron-scattering studies of the binding of initiator $tRNA^{Met}$ to *Escherichia coli* trypsin-modified methionyl-tRNA synthetase, 603
DIEKMANN, S. (see also BIEBRICHER, C. K.), 629
Disc membranes, rod outer segment, transverse location of the retinal chromophore of rhodopsin, 145
DOVE, W. F. (see also FURTH, M. E.), 65
Drosophila, transcript maps of yolk protein genes, 581

Electrophoresis, DNA, two-dimensional, applied to the study of DNA methylation and the analysis of genome size in *Myxococcus xanthus*, 181
EMORI, Y., IBA, H. & OKADA, Y., Morphogenetic pathway of bacteriophage φ6. A flow analysis of subviral and viral particles in infected cells, 287
Endodeoxyribonuclease, site-specific, mammalian, cleaves mammalian repetitive DNAs, 379
Escherichia coli ara C gene, is the amino acid but not the nucleotide sequence conserved?, 649
— — Chi site identical to Chi recombinational hotspots of bacteriophage λ, 393
— — galactose operon, isolation of mutant promoters using local mutagenesis on cloned DNA fragments, 197
— — — —, mutations that define two promoters and the binding site of the cyclic AMP receptor protein, 211
— — K12, relationships between the physical and genetic maps of a 470×10^3 base-pair region around the terminus of DNA replication, 21
— — — genome, physical map of a 470×10^3 base-pair region flanking the terminus of DNA replication, 1
— — sulfite reductase, preliminary X-ray diffraction studies on the hemoprotein subunit, 179
— — trypsin-modified methionyl-tRNA synthetase, neutron-scattering studies of the binding of initiator $tRNA^{Met}$, 603

FAYAT, G. (see also DESSEN, P.), 603
FEY, S. J. (see also BRAVO, R.), 121
FIORI, M. (see also GORSKI, J.), 537
FUNNELL, B. E. & INMAN, R. B., Physical evidence for early transcription in intracellular bacteriophage P2 DNA, 85
FURTH, M. E., DOVE, W. F. & MEYER, B. J., Specificity determinants for bacteriophage DNA replication. III. Activation of replication in λri^c mutants by transcription outside of *ori*. 65
Fusidic acid and chloramphenicol resistance, both coded by the same gene, 417

Galactose operon, *Escherichia coli*, isolation of mutant promoters using local mutagenesis on cloned DNA fragments, 197
— —, — —, mutations that define two promoters and the binding site of the cyclic AMP receptor protein, 211
GALAS, D. J. & CHANDLER, M., Structure and stability of Tn*9*-mediated cointegrates. Evidence for two pathways of transposition, 245
— — (see also CHANDLER, M.), 229
GARCÍA, N. (see also CARRASCOSA, J. L.), 311
GÉLUGNE, J. P. (see also BOUCHÉ, J. P.), 21
Gene, antirepressor, P22, transcription *in vitro*, 427
— *ara*C of *Escherichia coli*, is the amino acid but not the nucleotide sequence conserved?, 649
— family, zein, of maize; an assessment of heterogeneity with cloned mRNA sequences, 33
— product, *arc*, P22: autogenous regulation, 449
—, single, coding for resistance to both fusidic acid and chloramphenicol, 417
Genes, yolk protein, of *Drosophila*: transcript maps, 581
Genetic and physical maps of a 470×10^3 base-pair region around the terminus of *Escherichia coli* K12 DNA replication, 21
— — physiological studies of the role of the RNA ligase of bacteriophage T4, 273

Genome, *Escherichia coli* K12, physical map of a 470×10^3 base-pair region flanking the terminus of DNA replication, 1
—, human, organization of a family of highly repetitive sequences, 51
— size and DNA methylation in *Myxococcus xanthus*, a study using two-dimensional DNA electrophoresis, 181
Glycoproteins, Sindbis virion, and their precursors, a study of their association, 325
—, — —, isolation and characterization of the hydrophobic COOH-terminal domains, 355
Goelet, P. & Karn, J., Tobacco mosaic virus induces the synthesis of a family of 3′ coterminal messenger RNAs and their complements, 541
Gorski, J., Fiori, M. & Mach, B., A new nonsense mutation as the molecular basis for β^0 thalassaemia, 537
Grütter, M. G. & Matthews, B. W., Amino acid substitutions far from the active site of bacteriophage T4 lysozyme reduce catalytic activity and suggest that the C-terminal lobe of the enzyme participates in substrate binding, 525

Haemophilus influenzae Rf restriction endonuclease, steps in the reaction mechanism, 615
Halobacterium halobium, a contracted form of the trigonal purple membrane, 501
Head–tail connector of bacteriophage $\phi 29$; structure, 311
HeLa cytoskeletons, architecture and polypeptide composition; modification of cytoarchitectural polypeptides during mitosis, 121
Hemoprotein subunit of *Escherichia coli* sulfite reductase, preliminary X-ray diffraction studies, 179
Henderson, R., Jubb, J. S. & Rossmann, M. G., A contracted form of the trigonal purple membrane of *Halobacterium halobium*, 501
Heterogeneous nuclear RNA, adenoviral, is associated with the host nuclear matrix during splicing, 103
Hey, T. (see also Runnels, J. M.), 273
Horseshoe crab *Limulus polyphemus*, location and periodicity of a troponin-T-like protein in the myofibril, 385
Human genome, organization of a family of highly repetitive sequences, 51
Humayun, M. Z. (see also Krolewski, J. J.), 399
Hung, M.-C., Barnett, T., Woolford, C. & Wennsink, P. C., Transcript maps of *Drosophila* yolk protein genes, 581
Hunkapiller, M. W. (see also Rice, C. M.), 355
Hydrophobic COOH-terminal domains of the Sindbis virion glycoproteins, isolation and characterization, 355

Iba, H. (see also Emori, Y.), 287
Iida, S. (see also Völker, T. A.), 417
Initiation sites and the control of structural fidelity of microtubules, 485
Initiator $tRNA^{Met}$, binding to *Escherichia coli* trypsin-modified methionyl-tRNA synthetase; neutron-scattering studies, 603
Inman, R. B. (see also Funnell, B. E.), 85
Inouye, M. (see also Yee, T.), 181
Irani, M. (see also Busby, S.), 197
IS*1*-flanked transposons, the transposition frequency is a function of their size, 229

Jackson, E. N., Laski, F. & Andres, C., Bacteriophage P22 mutants that alter the specificity of DNA packaging, 551
—, — (see also Laski, F.), 565
Jubb, J. S. (see also Henderson, R.), 501

Kaiser, K. (see also Bouché, J. P.), 21
Karn, J. (see also Goelet, P.), 541
Khan, M. I. (see also Salunke, D. M.), 177
Kornberg, R. D. (see also Prunell, A.), 515
Krolewski, J. J., Bertelsen, A. H., Humayun, M. Z. & Rush, M. G., Members of the *Alu* family of interspersed, repetitive DNA sequences are in the small circular DNA population of monkey cells grown in culture, 399

λ (see also Bacteriophage), 65, 393
$\lambda ri^{c}5b$ sequence, 81
Lactate dehydrogenase from *Bacillus stearothermophilus*; crystallization, 349
Larsen, P. M. (see also Bravo, R.), 121
Laski, F. & Jackson, E. N., Maturation cleavage of bacteriophage P22 DNA in the absence of DNA packaging, 565
—, — (see also Jackson, E. N.), 551
Lectin, anti-T, from peanut (*Arachis hypogaea*), crystallization and preliminary X-ray studies, 177
Lehman, W., The location and periodicity of a troponin-T-like protein in the myofibril of the horseshoe crab *Limulus polyphemus*, 385
Limulus polyphemus, location and periodicity of a troponin-T-like protein in the myofibril, 385
Lindahl, T. (see also Sedgwick, B.), 169
Louarn, J. (see also Bouché, J. P.), 21
Louarn, J. M. (see also Bouché, J. P.), 21
Luce, R. (see also Biebricher, C. K.), 629
Lysozyme from bacteriophage T4, amino acid substitutions far from the active site reduce catalytic activity and suggest that the C-terminal lobe of the enzyme participates in substrate binding, 525

Mach, B. (see also Gorski, J.), 537
McKenna, W. G., Brown, F. L., Musich, P. R. & Maio, J. J., Cleavage of mammalian repetitive deoxyribonucleic acids by a mammalian site-specific endodeoxyribonuclease, 379
McRee, D. E. & Richardson, D. C., Preliminary X-ray diffraction studies on the hemoprotein subunit of *Escherichia coli* sulfite reductase, 179
Maio, J. J. (see also McKenna, W. G.), 379
Maize zein storage protein gene family: an assessment of heterogeneity with cloned mRNA sequences, 33
Mammalian repetitive DNAs, cleavage by a mammalian site-specific endodeoxyribonuclease, 379
Map, physical, of a 470×10^3 base-pair region flanking the terminus of DNA replication in the *Escherichia coli* K12 genome, 1
Maps, physical and genetic, of a 470×10^3 base-pair region around the terminus of *Escherichia coli* K12 DNA replication, 21
—, transcript, of *Drosophila* yolk protein genes, 581
Mariman, E. C. M., Van Eekelen, C. A. G., Reinders, R. J., Berns, A. J. M. & Van Venrooij, W. J., Adenoviral heterogeneous nuclear RNA is associated with the host nuclear matrix during splicing, 103
Matthews, B. W. (see also Grütter, M. G.), 525
Maturation cleavage of bacteriophage P22 DNA in the absence of DNA packaging, 565
Membranes, structural analysis by means of a nuclear reaction, 159
Messenger RNA sequences, cloned, and an assessment of the heterogeneity of the zein gene family, 33
— RNAs, 3′ coterminal, and complements, their synthesis is induced by tobacco mosaic virus, 541
Methionyl-tRNA synthetase, trypsin-modified, *Escherichia coli*, neutron-scattering studies of the binding of initiator $tRNA^{Met}$, 603
Methylation in DNA and the analysis of genome size in *Myxococcus xanthus*, a study using two-dimensional DNA electrophoresis, 181
Meyer, B. J. (see also Furth, M. E.), 65
Microtubule structural fidelity, control by initiation sites, 485
Monkey cells grown in culture, members of the *Alu* family of interspersed repetitive DNA sequences are in the small circular DNA population, 399
Moore, D. D. and Blattner, F. R., Sequence of $\lambda ri^{c}5b$ (*Appendix* to Furth, M. E. *et al.*, 65), 81
Morphogenetic pathway of bacteriophage $\phi 6$. A flow analysis of subviral and viral particles in infected cells, 287
Musich, P. R. (see also McKenna, W. G.), 379
Mutant promoters in the *Escherichia coli* galactose operon, isolation using local mutagenesis on cloned DNA fragments, 197
Mutants, bacteriophage P22, that alter the specificity of DNA packaging, 551
Mutation, nonsense, new, as the molecular basis for β^0 thalassaemia, 537
Mutations in the *Escherichia coli* operon that define two promoters and the binding site of the cyclic AMP receptor protein, 211
Myofibril of the horseshoe crab *Limulus polyphemus*, location and periodicity of a troponin-T-like protein, 385
Myxococcus xanthus, two-dimensional DNA electrophoresis applied to the study of DNA methylation and the analysis of genome size, 181

Nonsense mutation, new, as the molecular basis for β^0 thalassaemia, 537
Nuclear matrix, association with adenoviral heterogeneous nuclear RNA during splicing, 103
— reaction, use in structural analysis of membrane, 159
Nucleosomes in chromatin have variable center to center distance, 515
Neutron-scattering studies of the binding of initiator $tRNA^{Met}$ to *Escherichia coli* trypsin-modified methionyl-tRNA synthetase, 603

Okada, Y. (see also Emori, Y.), 287
O^6-methylguanine and O^6-ethylguanine in DNA, a common mechanism for their repair, 169
Organization of a family of highly repetitive sequences within the human genome, 51

P2 (see also Bacteriophage), 85
P22 (see also Bacteriophage), 427, 449, 551, 565
ϕ6 (see also Bacteriophage), 287
ϕ29 (see also Bacteriophage), 311
Packaging, DNA, absent, and the maturation cleavage of bacteriophage P22 DNA, 565
—, —, specificity is altered by bacteriophage P22 mutants, 551
Peanut (*Arachis hypogaea*), crystallization and preliminary X-ray studies of the anti-T lectin, 177
Piekarowicz, A. (see also Brzeziński, R.), 615
Polypeptide composition and architecture of HeLa cytoskeletons: modification of cytoarchitectural polypeptides during mitosis, 121
Population dynamics of transposition and cointegrate formation, 268
Pragai, B. & Apirion, D., Processing of bacteriophage T4 transfer RNAs. Structural analysis and *in vitro* processing of precursors that accumulate in RNase E^- strains, 465
Precursors that accumulate in RNase E^- strains, structural analysis and *in vitro* processing: processing of bacteriophage T4 transfer RNAs, 465
Processing of bacteriophage T4 transfer RNAs. Structural analysis and *in vitro* processing of precursors that accumulate in RNase E^- strains, 465
Promoters, mutant, in the *Escherichia coli* galactose operon: mutations that define two promoters and the binding site of the cyclic AMP receptor protein, 211
—, —, — — — — — —, isolation using local mutagenesis on cloned DNA fragments, 197
Protein, storage: zein gene family of maize; an assessment of heterogeneity with cloned mRNA sequences, 33
—, troponin-T-like, in the myofibril of the horseshoe crab *Limulus polyphemus*, location and periodicity, 385
Prunell, A. & Kornberg, R. D., Variable center to center distance of nucleosomes in chromatin, 515
Purple membrane, trigonal, of *Halobacterium halobium*, contracted form, 501

$Q\beta$ replicase-synthesized self-replicating RNA, structural analysis, 629

Reaction mechanism steps for *Haemophilus influenzae* Rf restriction endonuclease, 615
Recombinational hotspots, Chi, of bacteriophage λ, identity with a Chi site of *Escherichia coli*, 393
Regulation, autogenous, by the bacteriophage P22 *arc* gene product, 449
Reinders, R. J. (see also Mariman, E. C. M.), 103
Repair of O^6-methylguanine and O^6-ethylguanine in DNA, a common mechanism, 169
Repetitive DNAs, mammalian, cleavage by a mammalian site-specific endodeoxyribonuclease, 379
Repetitive DNA sequences, interspersed, members of the *Alu* family are in the small circular DNA population of monkey cells grown in culture, 399
Replication, DNA, in the *Escherichia coli* K12 —, physical map of a 470×10^3 base-pair region flanking the terminus, 1
—, —, — — — — — genome, relationships between the physical and genetic maps of a 470×10^3 base-pair region around the terminus, 21
—, —, specificity determinants for bacteriophage λ; activation of replication in λri^c mutants by transcription outside of *ori*, 65
Resistance to both fusidic acid and chloramphenicol is mediated by the same gene product, 417
Restriction endonuclease, *Haemophilus influenzae* Rf, steps in the reaction mechanism, 615
Retinal chromophore of rhodopsin, transverse location in rod outer segment disc membranes, 145
Rhodopsin, transverse location of the retinal chromophore in rod outer segment disc membranes, 145
RNA ligase of bacteriophage T4, genetic and physiological studies of role, 273
—, self-replicating, synthesized by $Q\beta$ replicase; structural analysis, 629

RICE, C. M. & STRAUSS, J. H., Association of Sindbis virion glycoproteins and their precursors, 325
—, —, BELL, J. R., HUNKAPILLER, M. W., STRAUSS, E. G. & STRAUSS, J. H., Isolation and characterization of the hydrophobic COOH-terminal domains of the Sindbis virion glycoproteins, 355
RICHARDSON, D. C. (see also McREE, D. E.), 179
Rod outer segment disc membranes, transverse location of the retinal chromophore of rhodopsin, 145
ROSSMANN, M. G. (see also HENDERSON, R.), 501
ROSSMANN, M. G. (see also SCHÄR, H.-P.), 349
RUNNELS, J. M., SOLTIS, D., HEY, T. & SNYDER, L., Genetic and physiological studies of the role of the RNA ligase of bacteriophage T4, 273
RUSH, M. G. (see also KROLEWSKI, J. J.), 399

SALUNKE, D. M., KHAN, M. I., SUROLIA, A. & VIJAYAN, M., Crystallization and preliminary X-ray studies of the anti-T lectin from peanut (*Arachis hypogaea*), 177
SANTISTEBAN, A. (see also CARRASCOSA, J. L.), 311
SCHÄR, H.-P., ZUBER, H. & ROSSMANN, M. G., Crystallization of lactate dehydrogenase from *Bacillus stearothermophilus*, 349
SCHEELE, R. B., BERGEN, L. G. & BORISY, G. G., Control of the structural fidelity of microtubules by initiation sites, 485
SCHLEIF, R. (see also STONER, C. M.), 649
SEDGWICK, B. & LINDAHL, T., A common mechanism for repair of O^6-methylguanine and O^6-ethylguanine in DNA, 169
Self-replicating RNA synthesized by Qβ replicase; structural analysis, 629
Sequence of λri^c5b, 81
Sequences of the *Alu* family of interspersed repetitive DNA are in the small circular DNA population of monkey cells grown in culture, 399
—: is the amino acid but not the nucleotide sequence of the *Escherichia coli ara*C gene conserved?, 649
—, highly repetitive, organization within the human genome, 51
Sindbis virion glycoproteins, isolation and characterization of the hydrophobic COOH-terminal domains, 355
— — — and their precursors, a study of their association, 325
Size of IS*1*-flanked transposons, relation to the transposition frequency, 229
SMALL, J. V. (see also BRAVO, R.), 121
SMITH, G. R. (see also TRIMAN, K. L.), 393
SNYDER, L. (see also RUNNELS, J. M.), 273
SOLTIS, D. (see also RUNNELS, J. M.), 273
Splicing, and the association of adenoviral heterogeneous nuclear RNA with the host nuclear matrix, 103
ST. JOHN, T. P. (see also BURR, B.), 33
Stability and structure of Tn*9*-mediated cointegrates; evidence for two pathways of transposition, 245
STONER, C. M. & SCHLEIF, R., Is the amino acid but not the nucleotide sequence of the *Escherichia coli ara*C gene conserved?, 649
STRAUSS, J. H. (see also RICE, C. M.), 325, 355
Structural analysis and *in vitro* processing of precursors that accumulate in RNase E$^-$ strains; processing of bacteriophage T4 transfer RNAs, 465
— — of membranes by means of a nuclear reaction, 159
— — — self-replicating RNA synthesized by Qβ replicase, 629
— fidelity of microtubules, control by initiation sites, 485
Structure of the head-tail connector of bacteriophage ϕ29, 311
— and stability of Tn*9*-mediated cointegrates; evidence for two pathways of transposition, 245
STRYER, L. (see also THOMAS, D. D.), 145
SUROLIA, A. (see also SALUNKE, D. M.), 177
SUSSKIND, M. M. & YOUDERIAN, P., Transcription *in vitro* of the bacteriophage P22 antirepressor gene, 427
—, — (see also YOUDERIAN, P.), 449

T4 (see also Bacteriophage), 273, 465, 525
Thalassaemia, β^0, a new nonsense mutation as its molecular basis, 537
THOMAS, D. D. & STRYER, L., Transverse location of the retinal chromophore of rhodopsin in rod outer segment disc membrane, 145
—, M. (see also BURR, B.), 33

Tn*9*-mediated cointegrates, structure and stability; evidence for two pathways of transposition, 245
Tobacco mosaic virus (see also Virus), 541
Transcript maps of *Drosophila* yolk protein genes, 581
Transcription, early, in intracellular bacteriophage P2 DNA; physical evidence, 85
— *in vitro* of the bacteriophage P22 antirepressor gene, 427
Transcriptional activation of *ori*; specificity determinants for bacteriophage λ DNA replication, 65
Transfer RNA: neutron-scattering studies of the binding of initiator $tRNA^{Met}$ to *Escherichia coli* trypsin-modified methionyl-tRNA synthetase, 603
— —, T4, processing: structural analysis and *in vitro* processing of precursors that accumulate in RNase E^- strains, 465
Transposition and cointegrate formation, population dynamics, 268
—, evidence for two pathways; structure and stability of Tn*9*-mediated cointegrates, 245
— frequency of IS*1*-flanked transposons is a function of their size, 229
Trigonal purple membrane of *Halobacterium halobium*, a contracted form, 501
Triman, K. L., Chattoraj, D. K. & Smith, G. R., Identity of a Chi site of *Escherichia coli* and Chi recombinational hotspots of bacteriophage λ, 393
Troponin-T-like protein in the myofibril of the horshoe crab *Limulus polyphemus*, location and periodicity, 385
Trypsin-modified methionyl-tRNA synthetase, *Escherichia coli*, neutron-scattering studies of the binding of initiator $tRNA^{Met}$, 603

Van Eekelen, C. A. G. (see also Mariman, E. C. M.), 103
— Venrooij, W. J. (see also Mariman, E. C. M.), 103
Vijayan, M. (see also Salunke, D. M.), 177
Viñuela, E. (see also Carrascosa, J. L.), 311
Viral and subviral particles in infected cells, a flow analysis; morphogenetic pathway of bacteriophage φ6, 287
Virus, Sindbis: association of virion glycoproteins and their precursors, 325
—, —: isolation and characterization of the hydrophobic COOH-terminal domains of the virion glycoproteins, 355
—, tobacco mosaic, induces the synthesis of a family of 3′ coterminal mRNAs and their complements, 541
Völker, T. A., Iida, S. & Bickle, T. A., A single gene coding for resistance to both fusidic acid and chloramphenicol, 417

Wennsink, P. C. (see also Hung, M.-C.), 581
Wiezorek, C., Structural analysis of membranes by means of a nuclear reaction, 159
Williamson, R. (see also Darling, S. M.), 51
Woolford, C. (see also Hung, M.-C.), 581

X-ray diffraction studies, preliminary, on the hemoprotein subunit of *Escherichia coli* sulfite reductase, 179
— studies, preliminary, and crystallization of the anti-T lectin from peanut (*Arachis hypogaea*), 177

Yee, T. & Inouye, M., Two-dimensional DNA electrophoresis applied to the study of DNA methylation and the analysis of genome size in *Myxococcus xanthus*, 181
Yolk protein genes of *Drosophila*, transcript maps, 581
Youderian, P., Chadwick, S. J. & Susskind, M. M., Autogenous regulation by the bacteriophage P22 *arc* gene product, 449
Youderian, P. (see also Susskind, M. M.), 427

Zaccai, G. (see also Dessen, P.), 603
Zein storage protein gene family of maize. An assessment of heterogeneity with cloned mRNA sequences, 33
Zuber, H. (see also Schär, H.-P.), 349